


Zylinderrollenlager

Kurz-Zeichen: NU



| Kurz-Zeichen | Abmessungen [mm] | | | | | | | | | Masse |
|--------------|------------------|-----|----|-------|------|------|-----|--------|---------|-------|
| | d | D | B | E | F | D1 | d1 | rs min | r1s min | [kg] |
| NU202-E | 15 | 35 | 11 | 30.3 | 19.3 | 28,0 | 0,0 | 0,6 | 0,30 | 0,048 |
| NU2203-E | 17 | 40 | 16 | 35.1 | 22.1 | 35,2 | 0,0 | 0,6 | 0,30 | 0,051 |
| NU303-E | 17 | 47 | 14 | 40.2 | 24.2 | 37,1 | 0,0 | 1,0 | 0,60 | 0,121 |
| NU203-E | 17 | 40 | 12 | 35.1 | 22.1 | 32,5 | 0,0 | 0,6 | 0,30 | 0,069 |
| NU204-E | 20 | 47 | 14 | 41.5 | 26.5 | 38,8 | 0,0 | 1,0 | 0,60 | 0,114 |
| NU304-E | 20 | 52 | 15 | 45.5 | 27.5 | 42,4 | 0,0 | 1,1 | 0,60 | 0,153 |
| NU2204-E | 20 | 47 | 18 | 41.5 | 26.5 | 38,8 | 0,0 | 1,0 | 0,60 | 0,146 |
| NU2304-E | 20 | 52 | 21 | 45.5 | 27.5 | 42,4 | 0,0 | 1,1 | 0,60 | 0,215 |
| NU2205-E | 25 | 52 | 18 | 46.5 | 31.5 | 43,8 | 0,0 | 0,0 | 0,00 | 0,165 |
| NU2305-E | 25 | 62 | 24 | 54.0 | 34.0 | 50,7 | 0,0 | 1,1 | 1,10 | 0,349 |
| NU1005-M | 25 | 47 | 12 | 41.5 | 30.5 | 39,3 | 0,0 | 0,6 | 0,30 | 0,092 |
| NU305-E | 25 | 62 | 17 | 54.0 | 34.0 | 50,7 | 0,0 | 1,1 | 1,10 | 0,245 |
| NU205-E | 25 | 52 | 15 | 46.5 | 31.5 | 43,8 | 0,0 | 1,0 | 0,60 | 0,137 |
| NU1006-M | 30 | 55 | 13 | 48.5 | 36.5 | 46,1 | 0,0 | 1,0 | 0,60 | 0,134 |
| NU406-M | 30 | 90 | 23 | 73.0 | 45.0 | 68,4 | 0,0 | 1,5 | 1,50 | 0,859 |
| NU206-E | 30 | 62 | 16 | 55.5 | 37.5 | 52,5 | 0,0 | 1,0 | 0,60 | 0,207 |
| NU2206-E | 30 | 62 | 20 | 55.5 | 37.5 | 52,5 | 0,0 | 1,0 | 0,60 | 0,255 |
| NU2306-E | 30 | 72 | 27 | 62.5 | 40.5 | 59,2 | 0,0 | 1,1 | 1,10 | 0,529 |
| NU306-E | 30 | 72 | 19 | 62.5 | 40.5 | 59,2 | 0,0 | 1,1 | 1,10 | 0,368 |
| NU2307-E | 35 | 80 | 31 | 70.2 | 46.2 | 66,6 | 0,0 | 1,5 | 1,10 | 0,723 |
| NU407-M | 35 | 100 | 25 | 83.0 | 53.0 | 78,2 | 0,0 | 1,5 | 1,50 | 1,140 |
| NU2207-E | 35 | 72 | 23 | 64.0 | 44.0 | 61,0 | 0,0 | 1,1 | 0,60 | 0,406 |
| NU207-E | 35 | 72 | 17 | 64.0 | 44.0 | 61,0 | 0,0 | 1,1 | 0,60 | 0,303 |
| NU1007-M | 35 | 62 | 14 | 55.0 | 42.0 | 52,4 | 0,0 | 1,0 | 0,60 | 0,177 |
| NU307-E | 35 | 80 | 21 | 70.2 | 46.2 | 66,6 | 0,0 | 1,5 | 1,10 | 0,486 |
| NU1008-M | 40 | 68 | 15 | 61.0 | 47.0 | 58,2 | 0,0 | 1,0 | 0,60 | 0,216 |
| NU208-E | 40 | 80 | 18 | 71.5 | 49.5 | 68,3 | 0,0 | 1,1 | 1,10 | 0,379 |
| NU308-E | 40 | 90 | 23 | 80.0 | 52.0 | 75,9 | 0,0 | 1,5 | 1,50 | 0,659 |
| NU2208-E | 40 | 80 | 23 | 71.5 | 49.5 | 68,3 | 0,0 | 1,1 | 1,10 | 0,492 |
| NU2308-E | 40 | 90 | 33 | 80.0 | 52.0 | 75,9 | 0,0 | 1,5 | 1,50 | 0,958 |
| NU408-M | 40 | 110 | 27 | 92.0 | 58.0 | 86,4 | 0,0 | 2,0 | 2,00 | 1,470 |
| NU2209-E | 45 | 85 | 23 | 76.5 | 54.5 | 73,3 | 0,0 | 1,1 | 1,10 | 0,532 |
| NU1009-M | 45 | 75 | 16 | 67.5 | 52.5 | 64,5 | 0,0 | 1,0 | 0,60 | 0,277 |
| NU409-M | 45 | 120 | 29 | 100.5 | 64.5 | 94,6 | 0,0 | 2,0 | 2,00 | 1,870 |

Zylinderrollenlager

| Kurz-Zeichen | Abmessungen [mm] | | | | | | | | | Masse |
|--------------|------------------|-----|----|-------|-------|-------|-----|--------|---------|-------|
| | d | D | B | E | F | D1 | d1 | rs min | r1s min | [kg] |
| NU2309-E | 45 | 100 | 36 | 88.5 | 58.5 | 84,1 | 0,0 | 1,5 | 1,50 | 1,300 |
| NU209-E | 45 | 85 | 19 | 76.5 | 54.5 | 73,3 | 0,0 | 1,1 | 1,10 | 0,434 |
| NU309-E | 45 | 100 | 25 | 88.5 | 58.5 | 84,1 | 0,0 | 1,5 | 1,50 | 0,893 |
| NU410-M | 50 | 130 | 31 | 110.8 | 70.8 | 104,3 | 0,0 | 2,1 | 2,10 | 2,330 |
| NU310-E | 50 | 110 | 27 | 97.0 | 65.0 | 92,5 | 0,0 | 2,0 | 2,00 | 1,160 |
| NU2210-E | 50 | 90 | 23 | 81.5 | 59.5 | 78,3 | 0,0 | 1,1 | 1,10 | 0,573 |
| NU1010-M | 50 | 80 | 16 | 72.5 | 57.5 | 69,5 | 0,0 | 1,0 | 0,60 | 0,305 |
| NU2310-E | 50 | 110 | 40 | 97.0 | 65.0 | 92,5 | 0,0 | 2,0 | 2,00 | 1,750 |
| NU210-E | 50 | 90 | 20 | 81.5 | 59.5 | 78,3 | 0,0 | 1,1 | 1,10 | 0,490 |
| NU2211-E | 55 | 100 | 25 | 90.0 | 66.0 | 86,6 | 0,0 | 1,5 | 1,10 | 0,796 |
| NU211-E | 55 | 100 | 21 | 90.0 | 66.0 | 86,6 | 0,0 | 1,5 | 1,10 | 0,665 |
| NU1011-M | 55 | 90 | 18 | 82.0 | 64.0 | 79,2 | 0,0 | 1,1 | 1,00 | 0,451 |
| NU411-M | 55 | 140 | 33 | 117.2 | 77.2 | 110,7 | 0,0 | 2,1 | 2,10 | 2,830 |
| NU311-E | 55 | 120 | 29 | 106.5 | 70.5 | 101,4 | 0,0 | 2,0 | 2,00 | 1,480 |
| NU2311-E | 55 | 120 | 43 | 106.5 | 70.5 | 101,4 | 0,0 | 2,0 | 2,00 | 2,230 |
| NU2312-E | 60 | 130 | 46 | 115.0 | 77.0 | 109,6 | 0,0 | 2,1 | 2,10 | 2,780 |
| NU412-M | 60 | 150 | 35 | 127.0 | 83.0 | 119,5 | 0,0 | 2,1 | 2,10 | 2,300 |
| NU2212-E | 60 | 110 | 28 | 100.0 | 72.0 | 96,1 | 0,0 | 1,5 | 1,50 | 1,080 |
| NU212-E | 60 | 110 | 22 | 100.0 | 72.0 | 96,1 | 0,0 | 1,5 | 1,50 | 0,824 |
| NU1012-M | 60 | 95 | 18 | 88.5 | 69.5 | 82,3 | 0,0 | 1,1 | 1,00 | 0,480 |
| NU312-E | 60 | 130 | 31 | 115.0 | 77.0 | 109,6 | 0,0 | 2,1 | 2,10 | 1,850 |
| NU2313-E | 65 | 140 | 48 | 124.5 | 82.5 | 118,6 | 0,0 | 2,1 | 2,10 | 3,320 |
| NU2213-E | 65 | 120 | 31 | 108.5 | 78.5 | 104,3 | 0,0 | 1,5 | 1,50 | 1,430 |
| NU413-M | 65 | 160 | 37 | 135.3 | 89.3 | 127,7 | 0,0 | 2,1 | 2,10 | 4,080 |
| NU1013-M | 65 | 100 | 18 | 90.5 | 74.5 | 87,3 | 0,0 | 1,1 | 1,00 | 0,507 |
| NU313-E | 65 | 140 | 33 | 124.5 | 82.5 | 118,6 | 0,0 | 2,1 | 2,10 | 2,280 |
| NU213-E | 65 | 120 | 23 | 108.5 | 78.5 | 104,3 | 0,0 | 1,5 | 1,50 | 1,040 |
| NU314-E | 70 | 150 | 35 | 133.0 | 89.0 | 126,8 | 0,0 | 2,1 | 2,10 | 2,790 |
| NU2214-E | 70 | 125 | 31 | 113.5 | 83.5 | 109,4 | 0,0 | 1,5 | 1,50 | 1,520 |
| NU414-M | 70 | 180 | 42 | 152.0 | 100.0 | 142,7 | 0,0 | 3,0 | 3,00 | 5,970 |
| NU1014-M | 70 | 110 | 20 | 100.0 | 80.0 | 96,0 | 0,0 | 1,1 | 1,00 | 0,706 |
| NU214-E | 70 | 125 | 24 | 113.5 | 83.5 | 109,4 | 0,0 | 1,5 | 1,50 | 1,150 |
| NU2314-E | 70 | 150 | 51 | 133.0 | 89.0 | 126,8 | 0,0 | 2,1 | 2,10 | 4,020 |
| NU1015-M | 75 | 115 | 20 | 105.0 | 85.0 | 101,7 | 0,0 | 1,1 | 1,00 | 0,737 |
| NU215-E | 75 | 130 | 25 | 118.5 | 88.5 | 114,4 | 0,0 | 1,5 | 1,50 | 1,270 |
| NU2315-E | 75 | 160 | 55 | 143.0 | 95.0 | 136,2 | 0,0 | 2,1 | 0,21 | 4,950 |
| NU315-E | 75 | 160 | 37 | 143.0 | 95.0 | 136,2 | 0,0 | 2,1 | 0,21 | 3,330 |
| NU415-M | 75 | 190 | 45 | 160.5 | 104.5 | 150,7 | 0,0 | 3,0 | 3,00 | 7,090 |
| NU2215-E | 75 | 130 | 31 | 118.5 | 88.5 | 114,4 | 0,0 | 1,5 | 1,50 | 1,600 |
| NU316-E | 80 | 170 | 39 | 151.0 | 101.0 | 143,9 | 0,0 | 2,1 | 2,10 | 3,960 |
| NU216-E | 80 | 140 | 26 | 127.3 | 95.3 | 122,9 | 0,0 | 2,0 | 2,00 | 1,550 |
| NU416-M | 80 | 200 | 48 | 170.0 | 110.0 | 159,7 | 0,0 | 3,0 | 3,00 | 8,370 |
| NU1016-M | 80 | 125 | 22 | 113.5 | 91.5 | 109,8 | 0,0 | 1,1 | 1,00 | 0,990 |

Zylinderrollenlager

| Kurz-Zeichen | Abmessungen [mm] | | | | | | | | | Masse |
|--------------|------------------|-----|----|-------|-------|-------|-----|--------|---------|--------|
| | d | D | B | E | F | D1 | d1 | rs min | r1s min | [kg] |
| NU2316-E | 80 | 170 | 58 | 151.0 | 101.0 | 143,9 | 0,0 | 2,1 | 2,10 | 5,890 |
| NU2216-E | 80 | 140 | 33 | 127.3 | 95.3 | 122,9 | 0,0 | 2,0 | 2,00 | 2,010 |
| NU217-E | 85 | 150 | 28 | 136.5 | 100.5 | 131,5 | 0,0 | 2,0 | 2,00 | 1,910 |
| NU317-E | 85 | 180 | 41 | 160.0 | 108.0 | 152,7 | 0,0 | 3,0 | 3,00 | 4,620 |
| NU2317-E | 85 | 180 | 60 | 160.0 | 108.0 | 152,7 | 0,0 | 3,0 | 3,00 | 6,720 |
| NU417-M | 85 | 210 | 52 | 177.0 | 113.0 | 165,7 | 0,0 | 4,0 | 4,00 | 9,850 |
| NU1017-M | 85 | 130 | 22 | 118.5 | 96.5 | 114,8 | 0,0 | 1,1 | 1,00 | 1,040 |
| NU2217-E | 85 | 150 | 36 | 136.5 | 100.5 | 131,5 | 0,0 | 2,0 | 2,00 | 2,500 |
| NU2318-E | 90 | 190 | 64 | 169.5 | 113.5 | 161,6 | 0,0 | 3,0 | 3,00 | 8,040 |
| NU218-E | 90 | 160 | 30 | 145.0 | 107.0 | 139,7 | 0,0 | 2,0 | 2,00 | 2,360 |
| NU2218-E | 90 | 160 | 40 | 145.0 | 107.0 | 139,7 | 0,0 | 2,0 | 2,00 | 3,170 |
| NU318-E | 90 | 190 | 43 | 169.5 | 113.5 | 161,6 | 0,0 | 3,0 | 3,00 | 5,390 |
| NU418-M | 90 | 225 | 54 | 191.5 | 123.5 | 179,7 | 0,0 | 4,0 | 4,00 | 11,800 |
| NU1018-M | 90 | 140 | 24 | 127.0 | 103.0 | 122,9 | 0,0 | 1,5 | 1,10 | 1,310 |
| NU319-E | 95 | 200 | 45 | 177.5 | 121.5 | 169,6 | 0,0 | 3,0 | 3,00 | 6,320 |
| NU1019-M | 95 | 145 | 24 | 132.0 | 108.0 | 127,9 | 0,0 | 1,5 | 1,10 | 1,410 |
| NU219-E | 95 | 170 | 32 | 154.5 | 112.5 | 148,6 | 0,0 | 2,1 | 2,10 | 2,880 |
| NU419-M | 95 | 240 | 55 | 201.5 | 133.5 | 189,7 | 0,0 | 4,0 | 4,00 | 13,900 |
| NU2319-E | 95 | 200 | 67 | 177.5 | 121.5 | 169,6 | 0,0 | 3,0 | 3,00 | 9,400 |
| NU2219-E | 95 | 170 | 43 | 154.5 | 112.5 | 148,6 | 0,0 | 2,1 | 2,10 | 3,900 |
| NU220-E | 100 | 180 | 34 | 163.0 | 119.0 | 156,9 | 0,0 | 2,1 | 2,10 | 3,490 |
| NU320-E | 100 | 215 | 47 | 191.5 | 127.5 | 182,0 | 0,0 | 3,0 | 3,00 | 7,670 |
| NU2320-E | 100 | 215 | 73 | 191.5 | 127.5 | 182,0 | 0,0 | 3,0 | 3,00 | 12,100 |
| NU2220-E | 100 | 180 | 46 | 163.0 | 119.0 | 156,9 | 0,0 | 2,1 | 2,10 | 4,770 |
| NU1020-M | 100 | 150 | 24 | 137.0 | 113.0 | 132,9 | 0,0 | 1,5 | 1,10 | 1,460 |
| NU420-M | 100 | 250 | 58 | 211.0 | 139.0 | 198,2 | 0,0 | 4,0 | 4,00 | 15,800 |
| NU1021-M | 105 | 160 | 26 | 145.5 | 119.5 | 141,0 | 0,0 | 2,0 | 1,10 | 1,840 |
| NU221-E | 105 | 190 | 36 | 171.5 | 125.5 | 165,1 | 0,0 | 2,1 | 2,10 | 4,080 |
| NU421-M | 105 | 260 | 60 | 220.5 | 144.5 | 207,4 | 0,0 | 4,0 | 4,00 | 17,700 |
| NU322-E | 110 | 240 | 50 | 211.0 | 143.0 | 200,9 | 0,0 | 3,0 | 3,00 | 10,300 |
| NU1022-M | 110 | 170 | 28 | 155.0 | 125.0 | 149,7 | 0,0 | 2,0 | 1,10 | 2,310 |
| NU2322-E | 110 | 240 | 80 | 211.0 | 143.0 | 200,9 | 0,0 | 3,0 | 3,00 | 16,600 |
| NU2222-E | 110 | 200 | 53 | 180.5 | 132.5 | 173,8 | 0,0 | 2,1 | 2,10 | 6,760 |
| NU422-M | 110 | 280 | 65 | 235.0 | 155.0 | 220,9 | 0,0 | 4,0 | 4,00 | 22,400 |
| NU222-E | 110 | 200 | 38 | 180.5 | 132.5 | 173,8 | 0,0 | 2,1 | 2,10 | 4,840 |
| NU224-E | 120 | 215 | 40 | 195.5 | 143.5 | 187,8 | 0,0 | 2,1 | 2,10 | 5,800 |
| NU2324-E-M | 120 | 260 | 86 | 230.0 | 154.0 | 218,7 | 0,0 | 3,0 | 3,00 | 23,200 |
| NU1024-M | 120 | 180 | 28 | 165.0 | 135.0 | 159,7 | 0,0 | 2,0 | 1,10 | 2,470 |
| NU2224-E | 120 | 215 | 58 | 195.5 | 143.5 | 187,8 | 0,0 | 2,1 | 2,10 | 8,380 |
| NU324-E | 120 | 260 | 55 | 230.0 | 154.0 | 218,7 | 0,0 | 3,0 | 3,00 | 13,300 |
| NU2326-E-M | 130 | 280 | 93 | 247.0 | 167.0 | 235,2 | 0,0 | 4,0 | 4,00 | 28,800 |
| NU226-E | 130 | 230 | 40 | 209.5 | 153.5 | 201,2 | 0,0 | 3,0 | 3,00 | 6,500 |
| NU1026-M | 130 | 200 | 33 | 182.0 | 148.0 | 175,9 | 0,0 | 2,0 | 1,10 | 3,810 |

Zylinderrollenlager

| Kurz-Zeichen | Abmessungen [mm] | | | | | | | | | Masse |
|--------------|------------------|-----|-----|-------|-------|-------|-----|--------|---------|---------|
| | d | D | B | E | F | D1 | d1 | rs min | r1s min | [kg] |
| NU2226-E | 130 | 230 | 64 | 209.5 | 153.5 | 201,2 | 0,0 | 3,0 | 3,00 | 10,400 |
| NU424-M | 130 | 310 | 72 | 260.0 | 170.0 | 243,9 | 0,0 | 5,0 | 5,00 | 30,800 |
| NU326-E | 130 | 280 | 58 | 247.0 | 167.0 | 235,2 | 0,0 | 4,0 | 4,00 | 16,200 |
| NU1028-M | 140 | 210 | 33 | 192.0 | 158.0 | 185,9 | 0,0 | 2,0 | 1,10 | 3,940 |
| NU2228-E-M | 140 | 250 | 68 | 225.0 | 169.0 | 216,7 | 0,0 | 3,0 | 3,00 | 14,500 |
| NU228-E-M | 140 | 250 | 42 | 225.0 | 169.0 | 216,7 | 0,0 | 3,0 | 3,00 | 9,310 |
| NU328-E | 140 | 300 | 62 | 264.0 | 180.0 | 251,7 | 0,0 | 4,0 | 4,00 | 20,100 |
| NU2328-E-M | 140 | 300 | 102 | 264.0 | 180.0 | 251,7 | 0,0 | 4,0 | 4,00 | 36,000 |
| NU1030-M | 150 | 225 | 35 | 205.5 | 169.5 | 199,0 | 0,0 | 2,1 | 1,50 | 4,930 |
| NU2230-E-M | 150 | 270 | 73 | 242.0 | 182.0 | 233,2 | 0,0 | 3,0 | 3,00 | 18,400 |
| NU2330-E-M | 150 | 320 | 108 | 283.0 | 193.0 | 269,8 | 0,0 | 4,0 | 4,00 | 43,200 |
| NU230-E-M | 150 | 270 | 45 | 242.0 | 182.0 | 233,2 | 0,0 | 3,0 | 3,00 | 11,800 |
| NU330-E-M | 150 | 320 | 65 | 283.0 | 193.0 | 269,8 | 0,0 | 4,0 | 4,00 | 26,800 |
| NU1032-M | 160 | 240 | 38 | 220.0 | 180.0 | 212,9 | 0,0 | 2,1 | 1,50 | 5,920 |
| NU2332-E-M | 160 | 340 | 114 | 300.0 | 204.0 | 286,0 | 0,0 | 4,0 | 4,00 | 51,500 |
| NU232-E-M | 160 | 290 | 48 | 259.0 | 195.0 | 249,6 | 0,0 | 3,0 | 3,00 | 14,600 |
| NU2232-E-M | 160 | 290 | 80 | 261.0 | 193.0 | 251,1 | 0,0 | 3,0 | 3,00 | 23,500 |
| NU332-E-M | 160 | 340 | 68 | 300.0 | 204.0 | 286,0 | 0,0 | 4,0 | 4,00 | 31,800 |
| NU2234-E-M | 170 | 310 | 86 | 281.0 | 205.0 | 269,9 | 0,0 | 4,0 | 4,00 | 29,400 |
| NU334-E-M | 170 | 360 | 72 | 318.0 | 218.0 | 301,6 | 0,0 | 4,0 | 4,00 | 38,000 |
| NU234-E-M | 170 | 310 | 52 | 279.0 | 207.0 | 268,5 | 0,0 | 4,0 | 4,00 | 18,100 |
| NU2334-E-M | 170 | 360 | 120 | 320.0 | 216.0 | 303,0 | 0,0 | 4,0 | 4,00 | 61,400 |
| NU1034-M | 170 | 260 | 42 | 237.0 | 193.0 | 229,1 | 0,0 | 2,1 | 2,10 | 8,030 |
| NU2336-EX-M | 180 | 380 | 126 | 339.0 | 227.0 | 320,8 | 0,0 | 4,0 | 4,00 | 71,800 |
| NU1036-M | 180 | 280 | 46 | 255.0 | 205.0 | 245,9 | 0,0 | 2,1 | 2,10 | 10,500 |
| NU236-E-M | 180 | 320 | 52 | 289.0 | 217.0 | 278,6 | 0,0 | 4,0 | 4,00 | 18,900 |
| NU336-E-M | 180 | 380 | 75 | 335.0 | 231.0 | 319,8 | 0,0 | 4,0 | 4,00 | 43,900 |
| NU2236-E-M | 180 | 320 | 86 | 291.0 | 215.0 | 280,0 | 0,0 | 4,0 | 4,00 | 30,500 |
| NU1038-M | 190 | 290 | 46 | 265.0 | 215.0 | 255,9 | 0,0 | 2,1 | 2,10 | 10,900 |
| NU2238-E-M | 190 | 340 | 92 | 308.0 | 228.0 | 296,4 | 0,0 | 4,0 | 4,00 | 37,100 |
| NU238-E-M | 190 | 340 | 55 | 306.0 | 230.0 | 295,0 | 0,0 | 4,0 | 4,00 | 22,800 |
| NU338-E-M | 190 | 400 | 78 | 353.0 | 245.0 | 336,0 | 0,0 | 5,0 | 5,00 | 50,600 |
| NU2338-E-M | 190 | 400 | 132 | 360.0 | 240.0 | 340,5 | 0,0 | 5,0 | 5,00 | 83,100 |
| NU2240-E-M | 200 | 360 | 98 | 325.0 | 241.0 | 312,9 | 0,0 | 4,0 | 4,00 | 44,700 |
| NU240-E-M | 200 | 360 | 58 | 323.0 | 243.0 | 311,5 | 0,0 | 4,0 | 4,00 | 27,200 |
| NU2340-E-M | 200 | 420 | 138 | 377.0 | 253.0 | 356,9 | 0,0 | 5,0 | 5,00 | 95,600 |
| NU340-E-M | 200 | 420 | 80 | 370.0 | 258.0 | 351,8 | 0,0 | 5,0 | 5,00 | 57,300 |
| NU1040-M | 200 | 310 | 51 | 281.0 | 229.0 | 271,5 | 0,0 | 2,1 | 2,10 | 14,100 |
| NU1044-M | 220 | 340 | 56 | 310.0 | 250.0 | 298,9 | 0,0 | 3,0 | 3,00 | 20,500 |
| NU344-E-M | 220 | 460 | 88 | 406.0 | 282.0 | 386,0 | 0,0 | 5,0 | 5,00 | 75,500 |
| NU2244-E-M | 220 | 400 | 108 | 367.0 | 259.0 | 349,4 | 0,0 | 4,0 | 4,00 | 61,600 |
| NU2344-E-M | 220 | 460 | 145 | 413.0 | 277.0 | 391,2 | 0,0 | 5,0 | 5,00 | 121,000 |
| NU348-E-M | 240 | 500 | 95 | 442.0 | 306.0 | 421,2 | 0,0 | 5,0 | 5,00 | 95,700 |

Zylinderrollenlager

| Kurz-Zeichen | Abmessungen [mm] | | | | | | | | | Masse |
|--------------|------------------|-----|-----|-------|-------|-------|-----|--------|---------|---------|
| | d | D | B | E | F | D1 | d1 | rs min | r1s min | [kg] |
| NU2348-E-M | 240 | 500 | 155 | 447.0 | 303.0 | 424,0 | 0,0 | 5,0 | 5,00 | 151,000 |
| NU1048-M | 240 | 360 | 56 | 330.0 | 270.0 | 318,9 | 0,0 | 3,0 | 3,00 | 19,800 |
| NU2248-E-M | 240 | 440 | 120 | 399.0 | 287.0 | 380,7 | 0,0 | 4,0 | 4,00 | 82,800 |
| NU248-E-M | 240 | 440 | 72 | 393.0 | 293.0 | 376,6 | 0,0 | 4,0 | 4,00 | 51,800 |
| NU1052-M | 260 | 400 | 65 | 364.0 | 296.0 | 351,3 | 0,0 | 4,0 | 4,00 | 29,700 |
| NU2352-E-M | 260 | 540 | 165 | 484.0 | 324.0 | 458,4 | 0,0 | 6,0 | 6,00 | 189,000 |
| NU352-E-M | 260 | 540 | 102 | 477.0 | 337.0 | 454,6 | 0,0 | 6,0 | 6,00 | 121,000 |
| NU252-E-M | 260 | 480 | 80 | 429.0 | 317.0 | 410,8 | 0,0 | 5,0 | 5,00 | 68,400 |
| NU2252-E-M | 260 | 480 | 130 | 433.0 | 313.0 | 413,6 | 0,0 | 5,0 | 5,00 | 109,000 |
| NU2256-E-M | 280 | 500 | 130 | 453.0 | 333.0 | 436,0 | 0,0 | 5,0 | 5,00 | 114,000 |
| NU1056-M | 280 | 420 | 65 | 384.0 | 316.0 | 371,3 | 0,0 | 4,0 | 4,00 | 31,300 |
| NU256-E-M | 280 | 500 | 80 | 449.0 | 337.0 | 430,8 | 0,0 | 5,0 | 5,00 | 72,100 |
| NU2356-E-M | 280 | 580 | 175 | 521.0 | 351.0 | 493,8 | 0,0 | 6,0 | 6,00 | 234,000 |
| NU356-E-M | 280 | 580 | 108 | 512.0 | 362.0 | 488,0 | 0,0 | 6,0 | 6,00 | 147,000 |
| NU260-E-M | 300 | 540 | 85 | 484.0 | 364.0 | 464,6 | 0,0 | 5,0 | 5,00 | 90,400 |
| NU2260-E-M | 300 | 540 | 140 | 495.0 | 355.0 | 472,6 | 0,0 | 5,0 | 5,00 | 143,000 |
| NU1060-M | 300 | 460 | 74 | 420.0 | 340.0 | 405,2 | 0,0 | 4,0 | 4,00 | 44,600 |
| NU1064-M | 320 | 480 | 74 | 440.0 | 360.0 | 425,1 | 0,0 | 4,0 | 4,00 | 46,900 |
| NU264-E-M | 320 | 580 | 92 | 520.0 | 392.0 | 499,4 | 0,0 | 5,0 | 5,00 | 113,000 |
| NU2264-E-M | 320 | 580 | 150 | 530.0 | 380.0 | 506,0 | 0,0 | 5,0 | 5,00 | 180,000 |
| NU1068-M | 340 | 520 | 82 | 475.0 | 385.0 | 458,2 | 0,0 | 5,0 | 5,00 | 63,200 |
| NU1072-M | 360 | 540 | 82 | 495.0 | 405.0 | 478,1 | 0,0 | 5,0 | 5,00 | 66,000 |
| NU2272-E-M | 360 | 650 | 170 | 588.0 | 428.0 | 562,0 | 0,0 | 6,0 | 6,00 | 254,000 |
| NU2276-E-M | 380 | 680 | 175 | 615.0 | 451.0 | 588,8 | 0,0 | 6,0 | 6,00 | 288,000 |
| NU1076-M | 380 | 560 | 82 | 515.0 | 425.0 | 498,1 | 0,0 | 5,0 | 5,00 | 69,100 |
| NU1080-M | 400 | 600 | 90 | 550.0 | 450.0 | 531,5 | 0,0 | 5,0 | 5,00 | 89,800 |
| NU1084-M | 420 | 620 | 90 | 570.0 | 470.0 | 551,5 | 0,0 | 5,0 | 5,00 | 92,900 |
| NU1088-M | 440 | 650 | 94 | 597.0 | 493.0 | 577,6 | 0,0 | 6,0 | 6,00 | 107,000 |
| NU1092-M | 460 | 680 | 100 | 624.0 | 516.0 | 603,9 | 0,0 | 6,0 | 6,00 | 125,000 |
| NU1992-M | 460 | 620 | 74 | 578.0 | 502.0 | 562,8 | 0,0 | 4,0 | 4,00 | 63,100 |
| NU1996-M | 480 | 650 | 78 | 605.0 | 525.0 | 589,0 | 0,0 | 5,0 | 5,00 | 74,200 |
| NU1096-M | 480 | 700 | 100 | 644.0 | 536.0 | 623,9 | 0,0 | 6,0 | 6,00 | 129,000 |