


Zylinderrollenlager

Kurz-Zeichen: NU



Kurz-Zeichen	Abmessungen [mm]									Masse [kg]
	d	D	B	E	F	D1	d1	rs min	r1s min	
NU202-E	15	35	11	30.3	19.3	28,0	0,0	0,6	0,30	0,048
NU2203-E	17	40	16	35.1	22.1	35,2	0,0	0,6	0,30	0,051
NU303-E	17	47	14	40.2	24.2	37,1	0,0	1,0	0,60	0,121
NU203-E	17	40	12	35.1	22.1	32,5	0,0	0,6	0,30	0,069
NU204-E	20	47	14	41.5	26.5	38,8	0,0	1,0	0,60	0,114
NU304-E	20	52	15	45.5	27.5	42,4	0,0	1,1	0,60	0,153
NU2204-E	20	47	18	41.5	26.5	38,8	0,0	1,0	0,60	0,146
NU2304-E	20	52	21	45.5	27.5	42,4	0,0	1,1	0,60	0,215
NU2205-E	25	52	18	46.5	31.5	43,8	0,0	0,0	0,00	0,165
NU2305-E	25	62	24	54.0	34.0	50,7	0,0	1,1	1,10	0,349
NU1005-M	25	47	12	41.5	30.5	39,3	0,0	0,6	0,30	0,092
NU305-E	25	62	17	54.0	34.0	50,7	0,0	1,1	1,10	0,245
NU205-E	25	52	15	46.5	31.5	43,8	0,0	1,0	0,60	0,137
NU1006-M	30	55	13	48.5	36.5	46,1	0,0	1,0	0,60	0,134
NU406-M	30	90	23	73.0	45.0	68,4	0,0	1,5	1,50	0,859
NU206-E	30	62	16	55.5	37.5	52,5	0,0	1,0	0,60	0,207
NU2206-E	30	62	20	55.5	37.5	52,5	0,0	1,0	0,60	0,255
NU2306-E	30	72	27	62.5	40.5	59,2	0,0	1,1	1,10	0,529
NU306-E	30	72	19	62.5	40.5	59,2	0,0	1,1	1,10	0,368
NU2307-E	35	80	31	70.2	46.2	66,6	0,0	1,5	1,10	0,723
NU407-M	35	100	25	83.0	53.0	78,2	0,0	1,5	1,50	1,140
NU2207-E	35	72	23	64.0	44.0	61,0	0,0	1,1	0,60	0,406
NU207-E	35	72	17	64.0	44.0	61,0	0,0	1,1	0,60	0,303
NU1007-M	35	62	14	55.0	42.0	52,4	0,0	1,0	0,60	0,177
NU307-E	35	80	21	70.2	46.2	66,6	0,0	1,5	1,10	0,486
NU1008-M	40	68	15	61.0	47.0	58,2	0,0	1,0	0,60	0,216
NU208-E	40	80	18	71.5	49.5	68,3	0,0	1,1	1,10	0,379
NU308-E	40	90	23	80.0	52.0	75,9	0,0	1,5	1,50	0,659
NU2208-E	40	80	23	71.5	49.5	68,3	0,0	1,1	1,10	0,492
NU2308-E	40	90	33	80.0	52.0	75,9	0,0	1,5	1,50	0,958
NU408-M	40	110	27	92.0	58.0	86,4	0,0	2,0	2,00	1,470
NU2209-E	45	85	23	76.5	54.5	73,3	0,0	1,1	1,10	0,532
NU1009-M	45	75	16	67.5	52.5	64,5	0,0	1,0	0,60	0,277
NU409-M	45	120	29	100.5	64.5	94,6	0,0	2,0	2,00	1,870

Zylinderrollenlager

Kurz-Zeichen	Abmessungen [mm]									Masse
	d	D	B	E	F	D1	d1	rs min	r1s min	[kg]
NU2309-E	45	100	36	88.5	58.5	84,1	0,0	1,5	1,50	1,300
NU209-E	45	85	19	76.5	54.5	73,3	0,0	1,1	1,10	0,434
NU309-E	45	100	25	88.5	58.5	84,1	0,0	1,5	1,50	0,893
NU410-M	50	130	31	110.8	70.8	104,3	0,0	2,1	2,10	2,330
NU310-E	50	110	27	97.0	65.0	92,5	0,0	2,0	2,00	1,160
NU2210-E	50	90	23	81.5	59.5	78,3	0,0	1,1	1,10	0,573
NU1010-M	50	80	16	72.5	57.5	69,5	0,0	1,0	0,60	0,305
NU2310-E	50	110	40	97.0	65.0	92,5	0,0	2,0	2,00	1,750
NU210-E	50	90	20	81.5	59.5	78,3	0,0	1,1	1,10	0,490
NU2211-E	55	100	25	90.0	66.0	86,6	0,0	1,5	1,10	0,796
NU211-E	55	100	21	90.0	66.0	86,6	0,0	1,5	1,10	0,665
NU1011-M	55	90	18	82.0	64.0	79,2	0,0	1,1	1,00	0,451
NU411-M	55	140	33	117.2	77.2	110,7	0,0	2,1	2,10	2,830
NU311-E	55	120	29	106.5	70.5	101,4	0,0	2,0	2,00	1,480
NU2311-E	55	120	43	106.5	70.5	101,4	0,0	2,0	2,00	2,230
NU2312-E	60	130	46	115.0	77.0	109,6	0,0	2,1	2,10	2,780
NU412-M	60	150	35	127.0	83.0	119,5	0,0	2,1	2,10	2,300
NU2212-E	60	110	28	100.0	72.0	96,1	0,0	1,5	1,50	1,080
NU212-E	60	110	22	100.0	72.0	96,1	0,0	1,5	1,50	0,824
NU1012-M	60	95	18	88.5	69.5	82,3	0,0	1,1	1,00	0,480
NU312-E	60	130	31	115.0	77.0	109,6	0,0	2,1	2,10	1,850
NU2313-E	65	140	48	124.5	82.5	118,6	0,0	2,1	2,10	3,320
NU2213-E	65	120	31	108.5	78.5	104,3	0,0	1,5	1,50	1,430
NU413-M	65	160	37	135.3	89.3	127,7	0,0	2,1	2,10	4,080
NU1013-M	65	100	18	90.5	74.5	87,3	0,0	1,1	1,00	0,507
NU313-E	65	140	33	124.5	82.5	118,6	0,0	2,1	2,10	2,280
NU213-E	65	120	23	108.5	78.5	104,3	0,0	1,5	1,50	1,040
NU314-E	70	150	35	133.0	89.0	126,8	0,0	2,1	2,10	2,790
NU2214-E	70	125	31	113.5	83.5	109,4	0,0	1,5	1,50	1,520
NU414-M	70	180	42	152.0	100.0	142,7	0,0	3,0	3,00	5,970
NU1014-M	70	110	20	100.0	80.0	96,0	0,0	1,1	1,00	0,706
NU214-E	70	125	24	113.5	83.5	109,4	0,0	1,5	1,50	1,150
NU2314-E	70	150	51	133.0	89.0	126,8	0,0	2,1	2,10	4,020
NU1015-M	75	115	20	105.0	85.0	101,7	0,0	1,1	1,00	0,737
NU215-E	75	130	25	118.5	88.5	114,4	0,0	1,5	1,50	1,270
NU2315-E	75	160	55	143.0	95.0	136,2	0,0	2,1	0,21	4,950
NU315-E	75	160	37	143.0	95.0	136,2	0,0	2,1	0,21	3,330
NU415-M	75	190	45	160.5	104.5	150,7	0,0	3,0	3,00	7,090
NU2215-E	75	130	31	118.5	88.5	114,4	0,0	1,5	1,50	1,600
NU316-E	80	170	39	151.0	101.0	143,9	0,0	2,1	2,10	3,960
NU216-E	80	140	26	127.3	95.3	122,9	0,0	2,0	2,00	1,550
NU416-M	80	200	48	170.0	110.0	159,7	0,0	3,0	3,00	8,370
NU1016-M	80	125	22	113.5	91.5	109,8	0,0	1,1	1,00	0,990

Zylinderrollenlager

Kurz-Zeichen	Abmessungen [mm]									Masse
	d	D	B	E	F	D1	d1	rs min	r1s min	[kg]
NU2316-E	80	170	58	151.0	101.0	143,9	0,0	2,1	2,10	5,890
NU2216-E	80	140	33	127.3	95.3	122,9	0,0	2,0	2,00	2,010
NU217-E	85	150	28	136.5	100.5	131,5	0,0	2,0	2,00	1,910
NU317-E	85	180	41	160.0	108.0	152,7	0,0	3,0	3,00	4,620
NU2317-E	85	180	60	160.0	108.0	152,7	0,0	3,0	3,00	6,720
NU417-M	85	210	52	177.0	113.0	165,7	0,0	4,0	4,00	9,850
NU1017-M	85	130	22	118.5	96.5	114,8	0,0	1,1	1,00	1,040
NU2217-E	85	150	36	136.5	100.5	131,5	0,0	2,0	2,00	2,500
NU2318-E	90	190	64	169.5	113.5	161,6	0,0	3,0	3,00	8,040
NU218-E	90	160	30	145.0	107.0	139,7	0,0	2,0	2,00	2,360
NU2218-E	90	160	40	145.0	107.0	139,7	0,0	2,0	2,00	3,170
NU318-E	90	190	43	169.5	113.5	161,6	0,0	3,0	3,00	5,390
NU418-M	90	225	54	191.5	123.5	179,7	0,0	4,0	4,00	11,800
NU1018-M	90	140	24	127.0	103.0	122,9	0,0	1,5	1,10	1,310
NU319-E	95	200	45	177.5	121.5	169,6	0,0	3,0	3,00	6,320
NU1019-M	95	145	24	132.0	108.0	127,9	0,0	1,5	1,10	1,410
NU219-E	95	170	32	154.5	112.5	148,6	0,0	2,1	2,10	2,880
NU419-M	95	240	55	201.5	133.5	189,7	0,0	4,0	4,00	13,900
NU2319-E	95	200	67	177.5	121.5	169,6	0,0	3,0	3,00	9,400
NU2219-E	95	170	43	154.5	112.5	148,6	0,0	2,1	2,10	3,900
NU220-E	100	180	34	163.0	119.0	156,9	0,0	2,1	2,10	3,490
NU320-E	100	215	47	191.5	127.5	182,0	0,0	3,0	3,00	7,670
NU2320-E	100	215	73	191.5	127.5	182,0	0,0	3,0	3,00	12,100
NU2220-E	100	180	46	163.0	119.0	156,9	0,0	2,1	2,10	4,770
NU1020-M	100	150	24	137.0	113.0	132,9	0,0	1,5	1,10	1,460
NU420-M	100	250	58	211.0	139.0	198,2	0,0	4,0	4,00	15,800
NU1021-M	105	160	26	145.5	119.5	141,0	0,0	2,0	1,10	1,840
NU221-E	105	190	36	171.5	125.5	165,1	0,0	2,1	2,10	4,080
NU421-M	105	260	60	220.5	144.5	207,4	0,0	4,0	4,00	17,700
NU322-E	110	240	50	211.0	143.0	200,9	0,0	3,0	3,00	10,300
NU1022-M	110	170	28	155.0	125.0	149,7	0,0	2,0	1,10	2,310
NU2322-E	110	240	80	211.0	143.0	200,9	0,0	3,0	3,00	16,600
NU2222-E	110	200	53	180.5	132.5	173,8	0,0	2,1	2,10	6,760
NU422-M	110	280	65	235.0	155.0	220,9	0,0	4,0	4,00	22,400
NU222-E	110	200	38	180.5	132.5	173,8	0,0	2,1	2,10	4,840
NU224-E	120	215	40	195.5	143.5	187,8	0,0	2,1	2,10	5,800
NU2324-E-M	120	260	86	230.0	154.0	218,7	0,0	3,0	3,00	23,200
NU1024-M	120	180	28	165.0	135.0	159,7	0,0	2,0	1,10	2,470
NU2224-E	120	215	58	195.5	143.5	187,8	0,0	2,1	2,10	8,380
NU324-E	120	260	55	230.0	154.0	218,7	0,0	3,0	3,00	13,300
NU2326-E-M	130	280	93	247.0	167.0	235,2	0,0	4,0	4,00	28,800
NU226-E	130	230	40	209.5	153.5	201,2	0,0	3,0	3,00	6,500
NU1026-M	130	200	33	182.0	148.0	175,9	0,0	2,0	1,10	3,810

Zylinderrollenlager

Kurz-Zeichen	Abmessungen [mm]									Masse
	d	D	B	E	F	D1	d1	rs min	r1s min	[kg]
NU2226-E	130	230	64	209.5	153.5	201,2	0,0	3,0	3,00	10,400
NU424-M	130	310	72	260.0	170.0	243,9	0,0	5,0	5,00	30,800
NU326-E	130	280	58	247.0	167.0	235,2	0,0	4,0	4,00	16,200
NU1028-M	140	210	33	192.0	158.0	185,9	0,0	2,0	1,10	3,940
NU2228-E-M	140	250	68	225.0	169.0	216,7	0,0	3,0	3,00	14,500
NU228-E-M	140	250	42	225.0	169.0	216,7	0,0	3,0	3,00	9,310
NU328-E	140	300	62	264.0	180.0	251,7	0,0	4,0	4,00	20,100
NU2328-E-M	140	300	102	264.0	180.0	251,7	0,0	4,0	4,00	36,000
NU1030-M	150	225	35	205.5	169.5	199,0	0,0	2,1	1,50	4,930
NU2230-E-M	150	270	73	242.0	182.0	233,2	0,0	3,0	3,00	18,400
NU2330-E-M	150	320	108	283.0	193.0	269,8	0,0	4,0	4,00	43,200
NU230-E-M	150	270	45	242.0	182.0	233,2	0,0	3,0	3,00	11,800
NU330-E-M	150	320	65	283.0	193.0	269,8	0,0	4,0	4,00	26,800
NU1032-M	160	240	38	220.0	180.0	212,9	0,0	2,1	1,50	5,920
NU2332-E-M	160	340	114	300.0	204.0	286,0	0,0	4,0	4,00	51,500
NU232-E-M	160	290	48	259.0	195.0	249,6	0,0	3,0	3,00	14,600
NU2232-E-M	160	290	80	261.0	193.0	251,1	0,0	3,0	3,00	23,500
NU332-E-M	160	340	68	300.0	204.0	286,0	0,0	4,0	4,00	31,800
NU2234-E-M	170	310	86	281.0	205.0	269,9	0,0	4,0	4,00	29,400
NU334-E-M	170	360	72	318.0	218.0	301,6	0,0	4,0	4,00	38,000
NU234-E-M	170	310	52	279.0	207.0	268,5	0,0	4,0	4,00	18,100
NU2334-E-M	170	360	120	320.0	216.0	303,0	0,0	4,0	4,00	61,400
NU1034-M	170	260	42	237.0	193.0	229,1	0,0	2,1	2,10	8,030
NU2336-EX-M	180	380	126	339.0	227.0	320,8	0,0	4,0	4,00	71,800
NU1036-M	180	280	46	255.0	205.0	245,9	0,0	2,1	2,10	10,500
NU236-E-M	180	320	52	289.0	217.0	278,6	0,0	4,0	4,00	18,900
NU336-E-M	180	380	75	335.0	231.0	319,8	0,0	4,0	4,00	43,900
NU2236-E-M	180	320	86	291.0	215.0	280,0	0,0	4,0	4,00	30,500
NU1038-M	190	290	46	265.0	215.0	255,9	0,0	2,1	2,10	10,900
NU2238-E-M	190	340	92	308.0	228.0	296,4	0,0	4,0	4,00	37,100
NU238-E-M	190	340	55	306.0	230.0	295,0	0,0	4,0	4,00	22,800
NU338-E-M	190	400	78	353.0	245.0	336,0	0,0	5,0	5,00	50,600
NU2338-E-M	190	400	132	360.0	240.0	340,5	0,0	5,0	5,00	83,100
NU2240-E-M	200	360	98	325.0	241.0	312,9	0,0	4,0	4,00	44,700
NU240-E-M	200	360	58	323.0	243.0	311,5	0,0	4,0	4,00	27,200
NU2340-E-M	200	420	138	377.0	253.0	356,9	0,0	5,0	5,00	95,600
NU340-E-M	200	420	80	370.0	258.0	351,8	0,0	5,0	5,00	57,300
NU1040-M	200	310	51	281.0	229.0	271,5	0,0	2,1	2,10	14,100
NU1044-M	220	340	56	310.0	250.0	298,9	0,0	3,0	3,00	20,500
NU344-E-M	220	460	88	406.0	282.0	386,0	0,0	5,0	5,00	75,500
NU2244-E-M	220	400	108	367.0	259.0	349,4	0,0	4,0	4,00	61,600
NU2344-E-M	220	460	145	413.0	277.0	391,2	0,0	5,0	5,00	121,000
NU348-E-M	240	500	95	442.0	306.0	421,2	0,0	5,0	5,00	95,700

Zylinderrollenlager

Kurz-Zeichen	Abmessungen [mm]									Masse
	d	D	B	E	F	D1	d1	rs min	r1s min	[kg]
NU2348-E-M	240	500	155	447.0	303.0	424,0	0,0	5,0	5,00	151,000
NU1048-M	240	360	56	330.0	270.0	318,9	0,0	3,0	3,00	19,800
NU2248-E-M	240	440	120	399.0	287.0	380,7	0,0	4,0	4,00	82,800
NU248-E-M	240	440	72	393.0	293.0	376,6	0,0	4,0	4,00	51,800
NU1052-M	260	400	65	364.0	296.0	351,3	0,0	4,0	4,00	29,700
NU2352-E-M	260	540	165	484.0	324.0	458,4	0,0	6,0	6,00	189,000
NU352-E-M	260	540	102	477.0	337.0	454,6	0,0	6,0	6,00	121,000
NU252-E-M	260	480	80	429.0	317.0	410,8	0,0	5,0	5,00	68,400
NU2252-E-M	260	480	130	433.0	313.0	413,6	0,0	5,0	5,00	109,000
NU2256-E-M	280	500	130	453.0	333.0	436,0	0,0	5,0	5,00	114,000
NU1056-M	280	420	65	384.0	316.0	371,3	0,0	4,0	4,00	31,300
NU256-E-M	280	500	80	449.0	337.0	430,8	0,0	5,0	5,00	72,100
NU2356-E-M	280	580	175	521.0	351.0	493,8	0,0	6,0	6,00	234,000
NU356-E-M	280	580	108	512.0	362.0	488,0	0,0	6,0	6,00	147,000
NU260-E-M	300	540	85	484.0	364.0	464,6	0,0	5,0	5,00	90,400
NU2260-E-M	300	540	140	495.0	355.0	472,6	0,0	5,0	5,00	143,000
NU1060-M	300	460	74	420.0	340.0	405,2	0,0	4,0	4,00	44,600
NU1064-M	320	480	74	440.0	360.0	425,1	0,0	4,0	4,00	46,900
NU264-E-M	320	580	92	520.0	392.0	499,4	0,0	5,0	5,00	113,000
NU2264-E-M	320	580	150	530.0	380.0	506,0	0,0	5,0	5,00	180,000
NU1068-M	340	520	82	475.0	385.0	458,2	0,0	5,0	5,00	63,200
NU1072-M	360	540	82	495.0	405.0	478,1	0,0	5,0	5,00	66,000
NU2272-E-M	360	650	170	588.0	428.0	562,0	0,0	6,0	6,00	254,000
NU2276-E-M	380	680	175	615.0	451.0	588,8	0,0	6,0	6,00	288,000
NU1076-M	380	560	82	515.0	425.0	498,1	0,0	5,0	5,00	69,100
NU1080-M	400	600	90	550.0	450.0	531,5	0,0	5,0	5,00	89,800
NU1084-M	420	620	90	570.0	470.0	551,5	0,0	5,0	5,00	92,900
NU1088-M	440	650	94	597.0	493.0	577,6	0,0	6,0	6,00	107,000
NU1092-M	460	680	100	624.0	516.0	603,9	0,0	6,0	6,00	125,000
NU1992-M	460	620	74	578.0	502.0	562,8	0,0	4,0	4,00	63,100
NU1996-M	480	650	78	605.0	525.0	589,0	0,0	5,0	5,00	74,200
NU1096-M	480	700	100	644.0	536.0	623,9	0,0	6,0	6,00	129,000