


# Zylinderrollenlager

## Kurz-Zeichen: NUP



Kurz-Zeichen	Abmessungen [mm]									Masse
	d	D	B	E	F	D1	d1	rs min	r1s min	[kg]
NUP303-E	17	47	14	40.2	24.2	37,1	27,6	1,0	1,10	0,142
NUP2203-E	17	40	16	35.1	22.1	32,5	24,7	0,6	0,60	0,055
NUP203-E	17	40	12	35.1	22.1	32,5	24,7	0,6	0,30	0,073
NUP304-E	20	52	15	45.5	27.5	42,4	31,3	1,1	0,60	0,160
NUP2204-E	20	47	18	41.5	26.5	38,8	29,7	1,0	0,60	0,156
NUP204-E	20	47	14	41.5	26.5	38,8	29,7	1,0	0,60	0,119
NUP2304-E	20	52	21	45.5	27.5	42,4	31,3	1,1	0,60	0,224
NUP205-E	25	52	15	46.5	31.5	43,8	34,7	1,0	0,60	0,145
NUP305-E	25	62	17	54.0	34.0	50,7	38,1	1,1	1,10	0,256
NUP2205-E	25	52	18	46.5	31.5	43,8	34,7	1,0	0,60	0,174
NUP2305-E	25	62	24	54.0	34.0	50,7	38,1	1,1	1,10	0,364
NUP2206-E	30	62	20	55.5	37.5	52,5	41,3	1,0	0,60	0,268
NUP2306-E	30	72	27	62.5	40.5	59,2	45,0	1,1	1,10	0,551
NUP206-E	30	62	16	55.5	37.5	52,5	41,1	1,0	0,60	0,219
NUP306-E	30	72	19	62.5	40.5	59,2	45,0	1,1	1,10	0,385
NUP207-E	35	72	17	64.0	44.0	61,0	48,0	1,1	0,60	0,317
NUP2307-E	35	80	31	70.2	46.2	66,6	51,0	1,5	1,50	0,751
NUP2207-E	35	72	23	64.0	44.0	61,0	48,0	1,1	0,60	0,427
NUP307-E	35	80	21	70.2	46.2	66,6	51,0	1,5	1,10	0,506
NUP2208-E	40	80	23	71.5	49.5	68,3	54,0	1,1	1,10	0,518
NUP2308-E	40	90	33	80.0	52.0	75,9	0,0	1,5	1,50	0,999
NUP208-E	40	80	18	71.5	49.5	68,3	54,0	1,1	1,10	0,399
NUP308-E	40	90	23	80.0	52.0	75,9	57,6	1,5	1,50	0,688
NUP209-E	45	85	19	76.5	54.5	73,3	59,0	1,1	1,10	0,457
NUP309-E	45	100	25	88.5	58.5	84,1	64,4	1,5	1,50	0,937
NUP2309-E	45	100	36	88.5	58.5	84,1	64,4	1,5	1,50	1,360
NUP2209-E	45	85	23	76.5	54.5	73,3	59,0	1,1	1,10	0,559
NUP2210-E	50	90	23	81.5	59.5	78,3	64,0	1,1	1,10	0,597
NUP310-E	50	110	27	97.0	65.0	92,5	71,3	2,0	2,00	1,210
NUP2310-E	50	110	40	97.0	65.0	92,5	71,3	2,0	2,00	1,820
NUP210-E	50	90	20	81.5	59.5	78,3	64,0	1,1	1,10	0,517
NUP2311-E	55	120	43	106.5	70.5	101,4	77,5	2,0	2,00	2,310
NUP311-E	55	120	29	106.5	70.5	101,4	77,5	2,0	2,00	1,540
NUP2211-E	55	100	25	90.0	66.0	86,6	70,8	1,5	1,10	0,828

# Zylinderrollenlager

Kurz-Zeichen	Abmessungen [mm]									Masse
	d	D	B	E	F	D1	d1	rs min	r1s min	[kg]
NUP211-E	55	100	21	90.0	66.0	86,6	70,8	1,5	1,10	0,693
NUP2212-E	60	110	28	100.0	72.0	96,1	77,6	1,5	1,50	1,120
NUP212-E	60	110	22	100.0	72.0	96,1	77,6	1,5	1,50	0,865
NUP312-E	60	130	31	115.0	77.0	109,6	84,4	2,1	2,10	1,930
NUP2312-E	60	130	46	115.0	77.0	109,6	84,4	2,1	2,10	2,880
NUP2313-E	65	140	48	124.5	82.5	118,6	90,5	2,1	2,10	3,450
NUP313-E	65	140	33	124.5	82.5	118,6	90,5	2,1	2,10	2,370
NUP2213-E	65	120	31	108.5	78.5	104,3	84,4	1,5	1,50	1,540
NUP213-E	65	120	23	108.5	78.5	104,3	84,4	1,5	1,50	1,090
NUP2214-E	70	125	31	113.5	83.5	109,4	89,4	1,5	1,50	1,580
NUP214-E	70	125	24	113.5	83.5	109,4	89,4	1,5	1,50	1,200
NUP314-E	70	150	35	133.0	89.0	126,8	97,4	2,1	2,10	2,890
NUP2314-E	70	150	51	133.0	89.0	126,8	97,4	2,1	2,10	4,180
NUP315-E	75	160	37	143.0	95.0	136,2	104,1	2,1	0,21	3,450
NUP2215-E	75	130	31	118.5	88.5	114,4	94,4	1,5	1,50	1,670
NUP2315-E	75	160	55	143.0	95.0	136,2	104,1	2,1	0,21	5,140
NUP215-E	75	130	25	118.5	88.5	114,4	94,4	1,5	1,50	1,330
NUP216-E	80	140	26	127.3	95.3	122,9	101,5	2,0	2,00	1,620
NUP2216-E	80	140	33	127.3	95.3	122,9	101,5	2,0	2,00	2,080
NUP316-E	80	170	39	151.0	101.0	143,9	110,4	2,1	2,10	4,110
NUP2316-E	80	170	58	151.0	101.0	143,9	110,4	2,1	2,10	6,110
NUP217-E	85	150	28	136.5	100.5	131,5	107,5	2,0	2,00	2,080
NUP2317-E	85	180	60	160.0	108.0	152,7	117,8	3,0	3,00	6,990
NUP2217-E	85	150	36	136.5	100.5	131,5	107,5	2,0	2,00	2,600
NUP317-E	85	180	41	160.0	108.0	152,7	117,8	3,0	3,00	4,800
NUP318-E	90	190	43	169.5	113.5	161,6	124,0	3,0	3,00	5,590
NUP218-E	90	160	30	145.0	107.0	139,7	114,3	2,0	2,00	2,460
NUP2318-E	90	190	64	169.5	113.5	161,6	124,0	3,0	3,00	8,350
NUP2218-E	90	160	40	145.0	107.0	139,7	114,3	2,0	2,00	3,290
NUP2319-E	95	200	67	177.5	121.5	169,6	132,0	3,0	3,00	9,770
NUP319-E	95	200	45	177.5	121.5	169,6	132,0	3,0	3,00	6,560
NUP219-E	95	170	32	154.5	112.5	148,6	120,5	2,1	2,10	2,990
NUP2219-E	95	170	43	154.5	112.5	148,6	120,5	2,1	2,10	4,050
NUP2220-E	100	180	46	163.0	119.0	156,9	127,3	2,1	2,10	4,920
NUP220-E	100	180	34	163.0	119.0	156,9	127,3	2,1	2,10	3,610
NUP2320-E	100	215	73	191.5	127.5	182,0	139,4	3,0	3,00	12,500
NUP320-E	100	215	47	191.5	127.5	182,0	139,4	3,0	3,00	7,960
NUP221-E	105	190	36	171.5	125.5	165,1	134,5	2,1	2,10	4,260
NUP222-E	110	200	38	180.5	132.5	173,8	141,6	2,1	2,10	5,020
NUP2222-E	110	200	53	180.5	132.5	173,8	141,6	2,1	2,10	7,020
NUP322-E	110	240	50	211.0	143.0	200,9	155,6	3,0	3,00	10,700
NUP2322-E	110	240	80	211.0	143.0	200,9	155,6	3,0	3,00	17,200
NUP324-E	120	260	55	230.0	154.0	218,7	168,1	3,0	3,00	13,800

# Zylinderrollenlager

Kurz-Zeichen	Abmessungen [mm]									Masse
	d	D	B	E	F	D1	d1	rs min	r1s min	[kg]
NUP2324-E-M	120	260	86	230.0	154.0	218,7	168,1	3,0	3,00	23,800
NUP224-E	120	215	40	195.5	143.5	187,8	153,2	2,1	2,10	6,020
NUP2224-E	120	215	58	195.5	143.5	187,8	153,2	2,1	2,10	8,700
NUP2326-E-M	130	280	93	247.0	167.0	235,2	181,7	4,0	4,00	29,700
NUP2226-E	130	230	64	209.5	153.5	201,2	164,0	3,0	3,00	10,800
NUP326-E	130	280	58	247.0	167.0	235,2	181,7	4,0	4,00	16,700
NUP226-E	130	230	40	209.5	153.5	201,2	164,0	3,0	3,00	6,740
NUP228-E-M	140	250	42	225.0	169.0	216,7	179,4	3,0	3,00	9,610
NUP328-E	140	300	62	264.0	180.0	251,7	195,4	4,0	4,00	20,800
NUP2228-E-M	140	250	68	225.0	169.0	216,7	180,0	3,0	3,00	16,800
NUP2328-E-M	140	300	102	264.0	180.0	251,7	195,4	4,0	4,00	37,100
NUP230-E-M	150	270	45	242.0	182.0	233,2	193,1	3,0	3,00	12,100
NUP2330-E-M	150	320	108	283.0	193.0	269,8	209,5	4,0	4,00	44,600
NUP330-E	150	320	65	283.0	193.0	269,8	209,5	4,0	4,00	27,700
NUP2230-E-M	150	270	73	242.0	182.0	233,2	193,1	3,0	3,00	19,100
NUP232-E-M	160	290	48	259.0	195.0	249,6	206,8	3,0	3,00	15,100
NUP2232-E-M	160	290	80	261.0	193.0	251,1	205,5	3,0	3,00	24,300
NUP2234-E-M	170	310	86	281.0	205.0	269,9	219,0	4,0	4,00	30,200
NUP234-E-M	170	310	52	279.0	207.0	268,5	218,4	4,0	4,00	18,600
NUP236-E-M	180	320	52	289.0	217.0	278,6	230,2	4,0	4,00	17,300
NUP2236-E-M	180	320	86	291.0	215.0	280,0	229,0	4,0	4,00	31,400
NUP238-E-M	190	340	55	306.0	230.0	295,0	244,0	4,0	4,00	23,500
NUP240-E-M	200	360	58	323.0	243.0	311,5	257,6	4,0	4,00	28,000
NUP244-E-M	220	400	65	358.0	268.0	344,9	285,2	4,0	4,00	39,300
NUP2344-E-M	220	460	145	413.0	277.0	391,2	302,2	5,0	5,00	124,000
NUP2244-E-M	220	400	108	367.0	259.0	349,4	279,4	4,0	4,00	63,400